

ACETONE

Technical Grade Solvent
Flammable

FEATURES:

- **HIGH SOLVENT POWER**
- **DENSITY 0.705-0.797Kg/L at 15°C**
- **FLASH POINT -18°C**
- **DISTILLATION RANGE: INITIAL BOILING POINT 56.0°C, 50% 56.1°C, DRY POINT 56.7°C**
- **PURITY 99.8% MINIMUM**
- **COMPLETELY MISCIBLE WITH WATER, AROMATIC AND ALIPHATIC HYDROCARBON SOLVENTS**

AREAS OF USE:

- **DRY CLEANERS**
- **GARMENT MANUFACTURERS**

DESCRIPTION

Acetone is a clear, colourless, highly volatile liquid with a pungently sweet odour. It possesses a low boiling point, a high rate of evaporation, and high solvent power.

Acetone is completely miscible with water, aromatic and aliphatic hydrocarbon solvents, and most other organic solvents. It also has excellent solvency properties for many vegetable and animal fats and oils, most natural and synthetic resins and the common plasticisers.

DIRECTIONS FOR USE

Acetone finds applications in paints and lacquers, adhesives, nail polish and nail polish remover, electronics cleaning and dewatering, as a clean-up solvent for fibre glassing, and as a "spotting" solution for dry cleaners and garment manufacturers.

SAFETY INFORMATION

- If **INGESTION** occurs: Do not induce vomiting obtain medical attention urgently. See **INHALED**.
- If **INHALED**, Give artificial respiration or oxygen if needed, obtain medical attention.
- **EYE CONTACT**: hold eyes open and flood with water for 15 minutes.
- **SKIN CONTACT**: Wash with cool water, remove contaminated clothing.

PACKAGING

20L