

# **Safety Data Sheet**

# **TASKI TAPI SHAMPOO**

**Revision:** 2018-11-21 **Version:** 01.0

# SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: TASKI TAPI SHAMPOO

#### 1.2 Recommended use and restrictions on use

Restrictions of use:

Uses other than those identified are not recommended

#### 1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.
24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand Telephone: +64 9 813 9800; 0800 803 615 (toll free)
Fax: + 64 9 813 9801
Website: www.diversey.com

#### 1.4 Emergency telephone number

Call 0800 243 622 (24 hrs)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## **HSNO Classification**

6.3A - Irritating to the skin 6.4A - Irritating to the eye

#### **GHS Equivalent Classification**

Skin irritation, Category 2 Serious eye irritation, Category 2

### 2.2 Label elements



Signal word: Warning

#### **Hazard statements:**

H315 + H319 - Causes skin and serious eye irritation.

#### Prevention statement(s):

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves.

### Response statement(s):

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice or attention.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P362 - Take off contaminated clothing.

#### Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

#### 2.3 Other hazards

No other hazards known.

#### 2.4 Classification diluted product:

Recommended maximum concentration (%): 10

#### **HSNO Classification**

Not classified as hazardous

Not classified as hazardous

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Weight percent
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium salt	-	939-648-2	3-10
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	287-809-4	3-10

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

# **SECTION 4: First aid measures**

4.1 Description of first aid measures

**Inhalation:** Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice or attention. If irritation occurs and persists, get medical attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

**Self-protection of first aider:**Consider personal protective equipment as indicated in subsection 8.2. **First aid facilities:**Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

**Inhalation:** No known effects or symptoms in normal use.

Skin contact: Causes irritation.

Eye contact: Causes severe irritation.

**Ingestion:** No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

# 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

#### 5.4 Hazchem code

None allocated

#### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable gloves.

### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the  $\underline{\textit{undiluted}}$  product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required. **Appropriate organisational controls:**Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases

where splashes may occur when handling the product (EN 166).

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and

breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen

**Body protection:**No special requirements under normal use conditions. **Respiratory protection:**No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 10

Appropriate engineering controls: Use only in well ventilated areas. Ensure that foam equipment does not generate respirable

particles.

Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166) are always recommended for foam applications.

Hand protection: Chemical-resistant protective gloves (EN 374) are always recommended for foam applications. Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and

temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen

Body protection: No special requirements under normal use conditions. No special requirements under normal use conditions. Respiratory protection:

No special requirements under normal use conditions. **Environmental exposure controls:** 

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical State: Liquid Colour: Clear, Colourless Odour: Product specific

Odour threshold: Not applicable

**pH:** ≈ 6.15 (neat) Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

Flammability (liquid): Not flammable. Flash point (°C): Not applicable. Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined Flammability (solid, gas): Not applicable to liquids

Upper/lower flammability limit (%): Not determined

Vapour pressure: Not determined Vapour density: Not determined Relative density: ≈ 1.032 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Partition coefficient: n-octanol/water No information available. Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined **Decomposition temperature:** Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. Oxidising properties: Not oxidising

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

Method / remark

ISO 4316

Not relevant to classification of this product

Not relevant to classification of this product

OECD 109 (EU A.3)

# SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

# 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

None known under normal use conditions.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

Mixture data:

Relevant calculated ATE(s): ATE - Oral (mg/kg): >5000

Eye irritation and corrosivity

Method: OECD 438 Result: Eye irritant 2

Substance data, where relevant and available, are listed below:.

#### **Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium salt	LD 50	> 2000	Rat	OECD 423 (EU B.1 tris)	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LD 50	> 1800	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium salt	LD 50	> 2000	Rat	OECD 402 (EU B.3)	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LD 50	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium		No data			
salt		available			
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data			
		available			

#### Irritation and corrosivity

OKIT IIIItation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium	Irritant			
salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Lyo milation and concernty				
Ingredient(s)	Result	Species	Method	Exposure time
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium	Irritant		HET-CAM	
salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium	No data available			
salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available			

# Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
salt			GPMT	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
·	_		GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium	No data available			
salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available			

# **CMR** effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium		OECD 471 (EU B.12/13) OECD	No data available	
salt	test results	476 draft		
		OECD 487		

ſ	sulphuric acid, mono-C12-14-alkyl esters,	No evidence for mutagenicity, negative	OECD 471 (EU No evidence for mutagenicity, nega	tive OECD 474 (EU
	sodium salts	test results	B.12/13) OECD test results	B.12)
			476 (Mouse	·
L			lymphoma)	

Carcinogenicity

	Ingredient(s)	Effect
b	outanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium	No data available
	salt	
	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)ami no]ethyl] ester, sodium salt		Maternal toxicity	1074	Rat	OECD 414 (EU B.31), oral		No known significant effects or critical hazards
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOEL	Teratogenic effects Developmental toxicity	250	Rat	OECD 414 (EU B.31), oral		

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium salt		No data available			uno (dayo)	anosta
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOAEL	488		OECD 408 (EU B.26)	90	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
butanedioic acid, 2(or 3)-sulfo-,		No data				
4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium salt		available				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
butanedioic acid, 2(or 3)-sulfo-,		No data				
4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium salt		available				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)ami no]ethyl] ester, sodium salt			No data available					
sulphuric acid, mono-C12-14-alkyl esters, sodium salts			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium	No data available
salt	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available

STOT-repeated exposure

3101-lepeated exposure	
Ingredient(s)	Affected organ(s)
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium	No data available
salt	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available

# Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

#### Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

# Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium salt		No data available			
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LC 50	3.6	Fish	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium	EC 50	19	Daphnia	OECD 202, static	48
salt			magna Straus		
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	EC 50	4.7	Daphnia	84/449/EEC, C2	48

Aquatic short-term toxicity - algae

	Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ſ	butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium	Er C 50	> .?	Desmodesmus	OECD 201, static	72
	salt			subspicatus		
ſ	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Er C 50	> 20	Not specified	88/302/EEC, Part C,	72
١				•	static	

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium		No data			
salt		available			
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data			-
		available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium		No data			
salt		available			
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	EC 10	1084	Bacteria	DIN 38412 / Part 8	16 hour(s)

#### Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
butanedioic acid, 2(or 3)-sulfo-,	EC 50	> 32	Brachydanio	OECD 203	96 hour(s)	
4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium salt			rerio			
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOEC	0.11 - 0.35	Not specified	OECD 210	34 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium salt		No data available				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOEC	0.508	Daphnia sp.	Method not given	7 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
butanedioic acid, 2(or 3)-su	fo-,	No data				
4-[2-[(1-oxododecyl)amino]ethyl] este	r, sodium salt	available				
sulphuric acid, mono-C12-14-alkyl este	rs, sodium salts	No data			-	
		available				

# Terrestrial toxicity

rrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - soil invertebrates, including earthwork	iis, ii avaliabi	С.				
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw			time (days)	
		soil)				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data			-	
		available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data available			-	

Terrestrial toxicity - birds, if available:

remodular texticity sinds, in available.						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Torrodinar toxion) Dorronolar modelle, in available.						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Torrootrial toxicity con Sactoria, ii availasioi						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data available			-	

# 12.2 Persistence and degradability

#### Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

**Biodegradation**Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium salt				OECD 301B	Readily biodegradable
sulphuric acid, mono-C12-14-alkyl esters, sodium salts			75.7 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

**12.3 Bioaccumulative potential**Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
butanedioic acid, 2(or 3)-sulfo-,	No data available			
4-[2-[(1-oxododecyl)amino]ethyl] ester,				
sodium salt				
sulphuric acid, mono-C12-14-alkyl	< -2.42	Method not given	No bioaccumulation expected	
esters, sodium salts				

Rioconcentration factor (RCE)

Bioconcentration factor (					
Ingredient(s)	Value	Species	Method	Evaluation	Remark
butanedioic acid, 2(or	No data available				
3)-sulfo-,					
4-[2-[(1-oxododecyl)ami					
no]ethyl] ester, sodium					
salt					
sulphuric acid,	No data available				
mono-C12-14-alkyl					
esters, sodium salts					

#### 12.4 Mobility in soil

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl] ester, sodium salt	No data available				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available				

# 12.5 Other adverse effects

No other adverse effects known.

# SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging** 

Recommendation: Dispose of observing national or local regulations.

Water, if necessary with cleaning agent. Suitable cleaning agents:

# **SECTION 14: Transport information**

Land transport, Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods 14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

Other relevant information: Hazchem code: None allocated

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**HSNO Approval Number** 

Group standard Cleaning Products (Subsidiary Hazard) Group Standard 2017 New Zealand: NZIoC (New Zealand Inventory of Chemicals) Inventory Listing(s) All components are listed on the NZIoC inventory, or are exempt

# SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000448 Version: 01.0 Revision: 2018-11-21

#### Abbreviations and acronyms:

- DNEL Derived No Effect Limit
  AUH GHS Specific hazard statement
- PNEC Predicted No Effect Concentration
- ATE Acute Toxicity Estimate
- LD50 Lethal Dose, 50% / Median Lethal dose
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- EC50 effective concentration, 50%
- NOEL No observed effect level
- NOAEL No observed adverse effect level
- STOT-RE Specific target organ toxicity (repeated exposure)
   STOT-SE Specific target organ toxicity (single exposure)
- EC No. European Community Number
- · OECD Organization for Economic Cooperation and Development

**End of Safety Data Sheet**