

**Clark Products Limited** 

Version No: **1.3** Safety Data Sheet according to HSNO Regulations Chemwatch Hazard Alert Code: 2

Issue Date: 27/11/2014 Print Date: 27/11/2014 Initial Date: 27/11/2014 S.GHS.NZL.EN

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### **Product Identifier**

Product name	CLARK WASHING SODA CRYSTALS
Chemical Name	sodium carbonate, decahydrate
Synonyms	ASE4030B ASE4030D ASS4030B ASS4030D AST4030
Proper shipping name	Not Applicable
Chemical formula	CH2O3.Na CH2O3.10H2O.2Na
Other means of identification	Not Available
CAS number	6132-02-1*

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses An easily dissolved, environmentally friendly natural product with low allergy properties making it a versatile, multipurpose hard surface cleaner and laundry product.

#### Details of the manufacturer/importer

Registered company name	Clark Products Limited
Address	24 Niven Street Onekawa Napier New Zealand
Telephone	+0800 66 66 33
Fax	+64 6 8432958
Website	www.clarkproducts.co.nz
Email	orders@clarkproducts.co.nz

#### Emergency telephone number

Association / Organisation	CHEMCALL (0800 CHEMCALL)
Emergency telephone numbers	0800 243 622
Other emergency telephone numbers	1800 243 622 (outside New Zealand)

# SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Not regulated for transport of Dangerous Goods.

### CHEMWATCH HAZARD RATINGS

	Min	Max	
Flammability	1 📃	1	
Toxicity	0		= Minimum
Body Contact	2		= Low = Moderate
Reactivity	1		= High
Chronic	0	4	= Extreme

GHS Classification <sup>[2]</sup>	Eye Irritation Category 2A	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI	
Gazetted by EPA New Zealand	6.4A	

GHS label elements	
SIGNAL WORD	WARNING
Hazard statement(s)	
H319	Causes serious eye irritation
Precautionary statement(s)	Prevention
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statement(s)	Response
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Precautionary statement(s) Storage

Not Applicable

#### Precautionary statement(s) Disposal

Not Applicable

#### SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### Substances

CAS No	%[weight]	Name
6132-02-1	100	sodium carbonate, decahydrate

#### Mixtures

See section above for composition of Substances

#### **SECTION 4 FIRST AID MEASURES**

NZ Poisons Centre 0800 POISON (0800 764 766) | NZ Emergency Services: 111

#### Description of first aid measures

Eye Contact	<ul> <li>If this product comes in contact with the eyes:</li> <li>Wash out immediately with fresh running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	<ul> <li>If skin contact occurs:</li> <li>Immediately remove all contaminated clothing, including footwear.</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>
Inhalation	<ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5 FIREFIGHTING MEASURES**

# 

	Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	<ul> <li>Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions.</li> <li>Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions).</li> <li>Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit will generally not form flammable dust clouds; once initiated, however, larger particles to 1400 microns diameter will contribute to the propagation of an explosion.</li> </ul>

# SECTION 6 ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing dust and contact with skin and eyes.</li> <li>Wear protective clothing, gloves, safety glasses and dust respirator.</li> <li>Use dry clean up procedures and avoid generating dust.</li> </ul>
Major Spills	Moderate hazard.  CAUTION: Advise personnel in area.  Alert Emergency Services and tell them location and nature of hazard.  Control personal contact by wearing protective clothing.
	Personal Protective Equipment advice is contained in Section 8 of the MSDS.

# SECTION 7 HANDLING AND STORAGE

# Precautions for safe handling

Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Prevent concentration in hollows and sumps.</li> </ul>
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry area protected from environmental extremes.</li> <li>Store away from incompatible materials and foodstuff containers.</li> </ul>

# Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>DO NOT use aluminium, galvanised or tin-plated containers</li> <li>Polyethylene or polypropylene container.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	<ul> <li>Sodium carbonate: <ul> <li>aqueous solutions are strong bases</li> <li>reacts violently with finely divided aluminium, fluorine, lithium, phosphorus pentoxide, sulfuric acid</li> <li>reacts with fluorine gas at room temperature, generating incandescence.</li> <li>is incompatible with organic anhydrides, acrylates, alcohols, aldehydes, alkylene oxides, substituted allyls, cellulose nitrate, cresols, caprolactam solution, epichlorohydrin, ethylene dichloride, isocyanates, ketones, glycols, nitrates, phenols, phosphorus pentoxide 2,4,6-trinitrotoluene</li> <li>forms explosive material with 2,4,5-trinitrotoluene and increases the thermal sensitivity of 2,4,6-trinitrotoluene (TNT) by decreasing the temperature of explosion from 297 deg. C to 218 deg. C</li> <li>attacks metal.</li> </ul> </li> </ul>

#### PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Control parameters**

- OCCUPATIONAL EXPOSURE LIMITS (OEL)
- INGREDIENT DATA

Not Available

### EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
sodium carbonate, decahydrate	Sodium carbonate	12 mg/m3	130 mg/m3	780 mg/m3
Ingredient	Original IDLH	Rev	vised IDLH	
sodium carbonate, decahydrate	Not Available	Not	Available	

#### Exposure controls

	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly
	effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
Appropriate engineering	The basic types of engineering controls are:
controls	Process controls which involve changing the way a job activity or process is done to reduce the risk.
	Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and
	"removes" air in the work environment.

Personal protection	
Eye and face protection	<ul> <li>Safety glasses with side shields.</li> <li>Chemical goggles.</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Suitability and durability of glove type is dependent on usage.
Body protection	See Other protection below
Other protection	<ul> <li>Overalls.</li> <li>P.V.C. apron.</li> <li>Barrier cream.</li> </ul>
Thermal hazards	Not Available

#### Recommended material(s)

#### GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

CLARK WASHING SODA CRYSTALS Not Available

Material

\* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final

selection must be based on detailed observation. -

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as

CPI

"feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

#### Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:000 & 149:001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

\* - Negative pressure demand \*\* - Continuous flow

 $\begin{array}{l} \mbox{A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC) \\ \end{array}$ 

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Appearance	Colourless crystals		
Physical state	Divided Solid Crystalline	Relative density (Water = 1)	1.44
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution(1%)	11-12
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Applicable

# SECTION 10 STABILITY AND REACTIVITY

Reactivity See section 7

Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# SECTION 11 TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

Inhaled	Evidence shows, or practical experience predicts, that the material produces irritation of the respiratory system, in a substantial number of individuals, following inhalation. In contrast to most organs, the lung is able to respond to a chemical insult by first removing or neutralising the irritant and then repairing the damage. The repair process, which initially evolved to protect mammalian lungs from foreign matter and antigens, may however, produce further lung damage resulting in the impairment of gas exchange, the primary function of the lungs. Respiratory tract irritation often results in an inflammatory response involving the recruitment and activation of many cell types, mainly derived from the vascular system.			
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health).			
Skin Contact	Evidence exists, or practical experience predicts, that the material either produces inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant inflammation when applied to the healthy intact skin of animals, for up to four hours, such inflammation being present twenty-four hours or more after the end of the exposure period. Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (nonallergic). The dermatitis is often characterised by skin redness (erythema) and swelling (oedema) which may progress to blistering (vesiculation), scaling and thickening of the epidermis. At the microscopic level there may be intercellular oedema of the spongy layer of the skin (spongiosis) and intracellular oedema of the epidermis.			
Eye	Evidence exists, or practical experience predicts, that the material may cause eye irritation in a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. Repeated or prolonged eye contact may cause inflammation characterised by temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or other transient eye damage/ulceration may occur. 510sodacarb			
Chronic	Long-term exposure to respiratory irritants may result in o Limited evidence suggests that repeated or long-term occ Long term exposure to high dust concentrations may cau penetrating and remaining in the lung. A prime symptom	cupational exposure may produce use changes in lung function (i.e. pr	cumulative health effects involving organs or biochemical systems.	
	TOXICITY	IRRITATIO	NN .	
CLARK WASHING SODA CRYSTALS	Not Available	Not Availa		
	ΤΟΧΙΟΙΤΥ	IRRITAT	ION	
	Inhalation (rat) LC50: 2300 mg/m3/2h		bit): 100 mg - mild	
sodium carbonate, decahydrate		Eye (rab	bit): 100 mg/24h-moderate	
uecanyurate		Skin (rat	Skin (rabbit): 500 mg/24h-moderate	
	Not Available	Not Avai	lable	
	<u> </u>			
CLARK WASHING SODA CRYSTALS, SODIUM CARBONATE, DECAHYDRATE	reactive airways dysfunction syndrome (RADS) which or diagnosis of RADS include the absence of preceding re within minutes to hours of a documented exposure to the	can occur following exposure to hig espiratory disease, in a non-atopic e irritant. A reversible airflow patterr	al ceases. This may be due to a non-allergenic condition known as h levels of highly irritating compound. Key criteria for the ndividual, with abrupt onset of persistent asthma-like symptoms , on spirometry, with the presence of moderate to severe bronchial mmation, without eosinophilia, have also been included in the	
CRYSTALS, SODIUM CARBONATE, DECAHYDRATE	reactive airways dysfunction syndrome (RADS) which or diagnosis of RADS include the absence of preceding re- within minutes to hours of a documented exposure to the hyperreactivity on methacholine challenge testing and the criteria for diagnosis of RADS.	can occur following exposure to hig espiratory disease, in a non-atopic i e irritant. A reversible airflow patterr he lack of minimal lymphocytic infla	h levels of highly irritating compound. Key criteria for the ndividual, with abrupt onset of persistent asthma-like symptoms , on spirometry, with the presence of moderate to severe bronchial mmation, without eosinophilia, have also been included in the	
CRYSTALS, SODIUM CARBONATE, DECAHYDRATE Acute Toxicity	reactive airways dysfunction syndrome (RADS) which of diagnosis of RADS include the absence of preceding re- within minutes to hours of a documented exposure to the hyperreactivity on methacholine challenge testing and the criteria for diagnosis of RADS.	can occur following exposure to hig espiratory disease, in a non-atopic i e irritant. A reversible airflow patter he lack of minimal lymphocytic infla Carcinogeni	h levels of highly irritating compound. Key criteria for the ndividual, with abrupt onset of persistent asthma-like symptoms , on spirometry, with the presence of moderate to severe bronchial mmation, without eosinophilia, have also been included in the city	
CRYSTALS, SODIUM CARBONATE, DECAHYDRATE Acute Toxicity Skin Irritation/Corrosion Serious Eye	reactive airways dysfunction syndrome (RADS) which or diagnosis of RADS include the absence of preceding re- within minutes to hours of a documented exposure to the hyperreactivity on methacholine challenge testing and the criteria for diagnosis of RADS.	can occur following exposure to hig espiratory disease, in a non-atopic i e irritant. A reversible airflow patterr he lack of minimal lymphocytic infla	h levels of highly irritating compound. Key criteria for the ndividual, with abrupt onset of persistent asthma-like symptoms , on spirometry, with the presence of moderate to severe bronchial mmation, without eosinophilia, have also been included in the city S rity S	
CRYSTALS, SODIUM CARBONATE, DECAHYDRATE Acute Toxicity Skin Irritation/Corrosion	reactive airways dysfunction syndrome (RADS) which of diagnosis of RADS include the absence of preceding re- within minutes to hours of a documented exposure to the hyperreactivity on methacholine challenge testing and the criteria for diagnosis of RADS.	can occur following exposure to hig espiratory disease, in a non-atopic i e irritant. A reversible airflow patter he lack of minimal lymphocytic infla Carcinogeni Reproducti	h levels of highly irritating compound. Key criteria for the ndividual, with abrupt onset of persistent asthma-like symptoms , on spirometry, with the presence of moderate to severe bronchial mmation, without eosinophilia, have also been included in the city or compound of the compound	

Legend:

Data required to make classification available
 Data available but does not fill the criteria for classification
 Data Not Available to make classification

Not Applicable

#### **SECTION 12 ECOLOGICAL INFORMATION**

#### Toxicity

**DO NOT** discharge into sewer or waterways.

#### Persistence and degradability

Persistence: Water/Soil	Persistence: Air
LOW	LOW
Bioaccumulation	
LOW (LogKOW = -0.4605)	
Mobility	
HIGH (KOC = 1)	
	LOW Bioaccumulation LOW (LogKOW = -0.4605) Mobility

#### SECTION 13 DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Product / Packaging disposal	Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate:
	Ensure that the disposal of material is carried out in accordance with Hazardous Substances (Disposal) Regulations 2001.

#### **SECTION 14 TRANSPORT INFORMATION**

Labels Required	
Marine Pollutant	NO
HAZCHEM	Not Applicable
HAZCHEM	Not Applicable

#### Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

# Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code

Source	Ingredient	Pollution Category
IMO MARPOL 73/78 (Annex II) - List of Noxious Liquid Substances Carried in Bulk	sodium carbonate, decahydrate	Z

#### **SECTION 15 REGULATORY INFORMATION**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance can be managed under the controls specified in the Transfer Notice or alternatively it may be managed using the conditions specified in an applicable Group Standard.

HSR Number	Group Standard
HSR005703	Not Available
sodium carbonate, decahydrate(6132-02-1) is found on the following regulatory lists	"New Zealand Inventory of Chemicals (NZIoC)", "New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals"

#### Location Test Certificate

Subject to Regulation 55 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations a location test certificate is required when quantity greater than or equal to those indicated below are present.

Hazard Class	Quantity beyond which controls apply for closed containers	Quantity beyond which controls apply when use occurring in open containers
Not Applicable	Not Applicable	Not Applicable

#### Approved Handler

Subject to Regulation 56 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations, the substance must be under the personal control of an Approved Handler when present in a quantity greater than or equal to those indicated below.

Class of substance	Quantities
Not Applicable	Not Applicable

# SECTION 16 OTHER INFORMATION

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net/references

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

